

FIG. 1



CLASS COMPATIBILITY




FIG. 2

CLASS / CAT	500	INFO LEVEL 1	2	3	MAIN SEARCH ATTRIBUTE
SYSTEMS ~ 502					PLATFORM /...
DESKTOP / DESKSIDE ~ 504		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	PROCESSOR / SPEED / FORM FACTOR
LAPTOP ~ 506		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	PROCESSOR / SPEED
HANDHELD / PDA ~ 508		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
CPU UPGRADE ~ 510		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	PROCESSOR / SPEED
MAINBOARD ~ 512		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR
CABINET ~ 514		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR
UPS & POWER ~ 516		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / CAPACITY
BATTERY ~ 518	520	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	DEVICE TYPE
DOCKING & CONNECTIVITY ~ 520		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
PORTABLE ACCESSORY ~ 522		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
SERVICE & SUPPORT ~ 524		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE
MEMORY ~ 505					PLATFORM /...
STANDARD RAM		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	FORM FACTOR / TYPE
VIDEO MEMORY		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	UPGRADE TYPE
CACHE MEMORY		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	UPGRADE TYPE
FLASH MEMORY		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	UPGRADE TYPE
ROM		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	UPGRADE TYPE
MEMORY ADAPTER		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ADAPTER TYPE
MEMORY ACCESSORY		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
STORAGE ~ 507					PLATFORM /...
HARD DRIVE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
DISK ARRAY (RAID)		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
REMOVABLE DISK DRIVE		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
REMOVABLE TAPE DRIVE		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
NETWORK STORAGE		<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
REMOVABLE MEDIA		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	MEDIA TYPE
STORAGE ADAPTER		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ADAPTER TYPE
STORAGE CABLE		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CABLE TYPE
STORAGE CABINET		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR
STORAGE ACCESSORY		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
SERVICE & SUPPORT		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE

FIG. 3-1

































































CLASS / CAT	INFO LEVEL 1	2	3	MAIN SEARCH ATTRIBUTE
  INPUT ~ 509				PLATFORM /...
  KEY-ENTRY DEVICE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / CONNECTION
  POINTING DEVICE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / CONNECTION
  GAME CONTROLLER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / CONNECTION
  SCANNER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  BAR CODE READER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
  AUDIO INPUT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  VIDEO INPUT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
  INPUT ADAPTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ADAPTER TYPE
  INPUT CABLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CABLE TYPE
  INPUT ACCESSORY	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
  SERVICE & SUPPORT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE
  OUTPUT ~ 511				PLATFORM /...
  DESKTOP MONITOR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / SIZE
  PRESENTATION MONITOR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / SIZE
  PROJECTOR & PANEL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
  PRINTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / PRODUCTIVITY
  AUDIO	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  VIDEO ADAPTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / INTERFACE
  AUDIO ADAPTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	TYPE / INTERFACE
  OUTPUT CABLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CABLE TYPE
  PRINTER CONSUMABLE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CONSUMABLE TYPE
  OUTPUT ACCESSORY	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
  SERVICE & SUPPORT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE
  NETWORK ~ 513				PLATFORM /...
  MODEM	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	FORM FACTOR / TYPE
  COMMUNICATION	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  ACCESS POINT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  MULTIPLEXOR	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  REPEATER / BRIDGE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  HUB / SWITCH	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE
  ROUTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	DEVICE TYPE

FIG. 3-2

















CLASS / CAT	INFO LEVEL 1	2	3	MAIN SEARCH ATTRIBUTE
  NETWORK ADAPTER	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	ADAPTER TYPE
  NETWORK CABLE	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	CABLE TYPE
  NETWORK ACCESSORY	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	ACCESSORY TYPE
  SERVICE & SUPPORT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE
  SOFTWARE ~ 515				PALTFORM /...
  APPLICATION	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	OS TYPE
  OPERATING SYSTEM	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	CATEGORY / TYPE
  SERVICE & SUPPORT	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	SERVICE TYPE

FIG. 3-3

SYSTEMS - DESKTOP / DESKSIDE ATTRIBUTE		PRIORITY	SRCH.	VALUE LIST NAME	MULTI-VALUED	UNITS LIST NAME
AA DESKTOP / DESKSIDE		602	624	622		
HIGH (MEDIUM) PRIORITY ATTRIBUTES 126 (62)		624	622			
HEADER (G00063)						
A00603 COMPATIBILITY	1	<input checked="" type="checkbox"/>		PRODUCT COMPATIBILITY	<input checked="" type="checkbox"/>	
A00604 LOCALIZATION	1	<input checked="" type="checkbox"/>		PRODUCT LOCALIZATION	<input checked="" type="checkbox"/>	
A00605 COUNTRY KITS	1	<input checked="" type="checkbox"/>		PRODUCT COUNTRY KIT	<input checked="" type="checkbox"/>	
A00600 PRODUCT LINE	1	<input checked="" type="checkbox"/>			<input type="checkbox"/>	
A00601 MODEL	1	<input checked="" type="checkbox"/>			<input type="checkbox"/>	
A00630 MANUFACTURER	1	<input checked="" type="checkbox"/>			<input type="checkbox"/>	
SYSTEM (G00050) → ATTRIBUTE GROUP 604						
A00432 TYPE	612	ATTRIBUTE 606	1	<input checked="" type="checkbox"/>	GENERAL SYSTEM TYPE	<input checked="" type="checkbox"/>
A00431 DESIGNATION	614	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	GENERAL PRODUCT DESIGNATION	<input checked="" type="checkbox"/>
CABINET / CHASSIS (G00007)						
A00031 BUILT-IN DEVICES	2	<input type="checkbox"/>		CABINET BUILT-IN DEVICES	<input checked="" type="checkbox"/>	
A00030 FORM FACTOR	1	<input checked="" type="checkbox"/>		CABINET FORM FACTOR	<input type="checkbox"/>	
PROCESSOR (G00008) 616						
A00036 FORM FACTOR	1	<input type="checkbox"/>		COMPONENT FORM FACTOR	<input type="checkbox"/>	
A00037 INSTALLED QTY	1	<input checked="" type="checkbox"/>		NUMERIC ENTRY	<input type="checkbox"/>	
A00038 MAX SUPPORTED QTY	1	<input checked="" type="checkbox"/>		NUMERIC ENTRY	<input type="checkbox"/>	
A00039 MANUFACTURER	1	<input checked="" type="checkbox"/>		PROCESSOR MANUFACTURER	<input type="checkbox"/>	
A00041 INSTRUCTION SET	2	<input type="checkbox"/>		PROCESSOR INSTRUCTION SET	<input type="checkbox"/>	

FIG. 4

A00042 UPGRADABILITY ~ 618	1	<input checked="" type="checkbox"/>	COMPONENT UPGRADABILITY	<input type="checkbox"/>	
A00043 MATH COPROCESSOR	2	<input type="checkbox"/>	COMPONENT FORM FACTOR	<input type="checkbox"/>	
A00044 CACHE LEVEL 1 SIZE	2	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZE (BYTES)
A00045 ARCHITECTURE FEATURE ~ 622	2	<input type="checkbox"/>	PROCESSOR FEATURES	<input checked="" type="checkbox"/>	
A00040 CLOCK SPEED ~ 620	1	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	FREQUENCY UNITS
A00035 TYPE	1	<input checked="" type="checkbox"/>	PROCESSOR TYPE	<input type="checkbox"/>	
MAINBOARD (G00009)					
A00050 CHIPSET TYPE	2	<input type="checkbox"/>	CHIPSET VENDOR / TYPE	<input type="checkbox"/>	
A00051 BIOS TYPE	2	<input type="checkbox"/>	MAINBOARD BIOS VENDOR/TYPE	<input type="checkbox"/>	
A00049 DATA BUS SPEED	1	<input checked="" type="checkbox"/>	BUS CLOCK SPEED	<input type="checkbox"/>	FREQUENCY UNITS
MEMORY / CACHE (G00046)					
A00398 FORM FACTOR	2	<input type="checkbox"/>	MEMORY FORM FACTOR	<input type="checkbox"/>	
A00399 TECHNOLOGY	1	<input type="checkbox"/>	MEMORY TECHNOLOGY	<input type="checkbox"/>	
A00400 INSTALLED SIZE	1	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZES (BYTES)
A00401 MAX SUPPORTED SIZE	1	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZES (BYTES)
A00397 TYPE	1	<input type="checkbox"/>	MEMORY TYPE	<input type="checkbox"/>	
A00407 UPGRADE RULE	2	<input type="checkbox"/>	UPGRADE RULE	<input type="checkbox"/>	
MEMORY / RAM (G00010)					
A00053 INSTALLED SIZE	1	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZES (BYTES)
A00054 SOLDERED SIZE	2	<input type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZES (BYTES)
A00055 MAX SUPPORTED SIZE	1	<input checked="" type="checkbox"/>	NUMERIC ENTRY	<input type="checkbox"/>	DATA SIZES (BYTES)
A00056 TECHNOLOGY	1	<input checked="" type="checkbox"/>	MEMORY TECHNOLOGY	<input type="checkbox"/>	
A00057 DATA INTEGRITY CHECK	2	<input type="checkbox"/>	MEMORY ERROR CORRECTION	<input type="checkbox"/>	
A00058 FEATURES	2	<input type="checkbox"/>	MEMORY FEATURES	<input checked="" type="checkbox"/>	
A00059 SUPPLY VOLTAGE	2	<input type="checkbox"/>	VOLTAGE	<input type="checkbox"/>	VOLTAGE UNITS

FIG. 4 (CONT)




FIG. 5




FIG. 6




FIG. 7




FIG. 8A




FIG. 8B





FIG. 8C





FIG. 9A






FIG. 9C




FIG. 9D




FIG. 10A




FIG. 10B




FIG. 11




FIG. 12A

PRODUCT DATA RESEARCH FORM

1226 CURRENT USER ALLOCATION:

1228

1230

1232

1234

1236

VENDOR: IBM

VENDOR SKU: 37E74FR

PRODUCT LINE: APTIVA E

MODEL: 2100

VENDOR PRODUCT DESCRIPTION:
APTIVA E 2137-E74 K6 300 MMX ÉVOLUÉ - 48 Mo - 256K CACHE - 4,2 GO - CD 24X - CARTE CRYSTAL
4237 B - MT - COMM 56Kbps - W95 - ECRAN 15"

1238

GDT SKU:

1240

CATEGORY: DESKTOP/DESKSIDE

GDT CONFIDENTIAL

COMPLETION CONSTRAINT

1242

1244

COMPLETION STATUS	V	USERNAME	DATE/TIME	PAGES
1246 ADDITIONNAL VALUES REQUESTED				
1246 REQUESTED VALUES CREATED				
1246 ALL MANDATORY ATTRIBUTES RESEARCHED				
1248 FORM TRANSMITTED TO DATA CAPTURE				
1248 DATA CAPTURE COMPLETED				
1250 DATA CHECKED				

1252

ALLOCATION HISTORY

FIG. 12B-1

AN 15^{re} -
CD 24X - CARTE CRYSTAL 4237 B -MT - COMM 56Kbps - W95 -
Mo - 256K CACHE - 4,2 GO -
V E 2137-E/4 K6 300 MXX ÉVOLUÉ

N/A	NETWORK COMPUTER	PERSONAL COMPUTER	SERVER	WORKSTATION
-----	------------------	-------------------	--------	-------------

N/A | CORPORATION BUSINESS | HOME USE | SMALL BUSINESS |

N/A | DESKTOP | DESKTOP SLIMLINE | FULL TOWER | MID TOWER | MINI TOWER | PORTABLE | PROPRIETARY | RACK

N/A | NONE | COPIER | DISPLAY | KEYBOARD | MICROPHONE | MOUSE | POINTING STICK | PRINTER | SCANNER | SPEAKER | STATUS LCD | STEREO SPEAKERS | TOUCHPAD | TRACKBALL

N/A	NONE	6X86	6X86 MMX	80186	80286	80386	80486	8086	CELERON	JF-33	K6	K6 MMX	K6-2	MEDIAGX	MIPS	PROCESSOR
PENTIUM	PENTIUM II	MMX	PENTIUM II	XEON	PENTIUM	MMX	PENTIUM	MMX	PENTIUM	PRO	POWERPC	603	POWERPC	604E	POWERPC	G3
1254	1256	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272

	1258
N/A	EXTERNAL INTEGRATED INTERNAL PLUG-IN CARD PLUG-IN MODULE

[illegible][illegible]

N/A | NOT UPGRADABLE | UPGRADABLE

N/A | AMD | CYRIX | DEC | IBM | INTEL | MIPS | MOTOROLA

FIG. 12B-2


PROCESSOR - CLOCK SPEED (MANDATORY / SINGLE VALUE)	
N/A 100 120 120 133 150 16 166 180 200 233 25 266 300 33 333 350 350 400 450 50 60 66 7.37 75 8 90	
Hz KHz MHz GHz	
PROCESSOR - INSTRUCTION SET (OPTIONAL / SINGLE VALUE)	
N/A CISC x86 IA-64 RISC x86-TO-RISC	
PROCESSOR - MATH COPROCESSOR (OPTIONAL / SINGLE VALUE)	
N/A EXTERNAL INTEGRATED INTERNAL PLUG-IN CARD PLUG-IN MODULE	
PROCESSOR - PRIMARY CACHE SIZE (OPTIONAL / SINGLE VALUE)	
N/A 0 1 12 128 144 15 16 160 18 192 196 2 20 24 256 288 3 32 35 384 4 40 468 48 512 56 6 64 72 768 8 80 90 96 96 960	
BYTE KB MB GB TB	
PROCESSOR - COMPLIANT STANDARDS (OPTIONAL / MULTI VALUE)	
N/A 100MHz FRONT SIDE BUS ALTIVEC DATA DEPENDENCY REMOVAL DUAL INDEPENDENT BUS DYNAMIC EXECUTION IEEE 754-COMPATIBLE FPU MMX INSTRUCTION SET MULTI-BRANCH PREDICTION OUT-OF-ORDER COMPLETION REGISTER RENAMING SEC CARTRIDGE PACKAGING SIXTH-GENERATION SOCKET 7 COMPATIBLE SPECULATIVE EXECUTION SUPERPIPELINED SUPERSCALAR SYSTEM MANAGEMENT MODE (SMM)	
MAINBOARD - DATA BUS SPEED (MADATORY / SINGLE VALUE)	
N/A 100 100 16 33 50 60 66 75 83	
Hz KHz MKz HGz	
MAINBOARD - CHIPSET TYPE / VENDER (OPTION / SINGLE VALUE)	
N/A ALI ALADDIN IV ALI ALADDIN V INTEL 430FX (TRITON) INTEL 430HX (TRITON II) INTEL 430LX (MERCURY) INTEL 430MX (MOBILE TRITON) INTEL 430NX (NEPTUNE) INTEL 430TX INTEL 430VX (TRITON III) INTEL 440BX INTEL 440EX INTEL 440LX SIS 5571 SIS 5591 SIS 5597/5598 VIA MVP3 VIA VP1 VIA VP2/97 VIA VP3 VIA VPX/97 VIA VXP/RO	
MAINBOARD - BIOS TYPE / VENDOR (OPTIONAL / SINGLE VALUE)	
N/A AMI AWARD PHOENIX	
MEMORY / CACHE - TYPE (MANDATORY / SINGLE VALUE)	
N/A NONE DRAM EROM FLASH L2 CACHE ROM SRAM	
MEMORY / CACHE - FORM FACTOR (OPTIONAL / SINGLE VALUE)	
N/A DIMM 100-PIN DIMM 168-PIN PROPRIETARY SIMM 30-PIN SIMM 72-PIN SO DIMM 144-PIN SO DIMM 72-PIN SO DIMM 84-PIN	
MEMORY / CACHE - TECHNOLOGY (MANDATORY / SINGLE VALUE)	

FIG. 12B-2 (CONT)

A blank Cartesian coordinate system with horizontal x-axis and vertical y-axis intersecting at the origin. The axes are represented by thin black lines. There are no tick marks or labels on the axes.

-1300

-1302



-1310

4.2 GO - CD 24x - MDM 56.6 Kbps - MICROSOFT

-1312

MARKETING DESCRIPTION

SANCE UNIQUE DANS CETTE GAMME DE PRIX. 2

LE SUPPORT, FAITES LE CHOIX DE CONFIANCE

FIG. 13A-1

1	FORMAT (LxPxH) / POIDS	MINITOUR 19.5cm x 45.5cm x 42.9cm/12.7kg
2	PROCESSEUR	1x AMD K6 MMX 300 MHz
3	MÉMOIRE CACHE INSTALLÉ(E) (MAX)	256 Ko (256Ko) CACHE DE NIVEAU 2
4	MÉMOIRE VIVE INSTALLÉ(E) (MAX)	48 Mo (256 Mo) SDRAM DIMM 168 BROCHES
5	LECTEUR DE DISQUETTE	1x 1.44 Mo 3.5" HD INTERNE
6	LECTEUR DE DISQUE DUR	1x 4.2 Go INTERNE
7	STOCKAGE CD / DVD	1x 650 Mo CD-ROM 24x INTERNE
8	STOCKAGE AMOVIBLE	AUCUNE(E)
9	AMOVIBLE DE STOCKAGE (2ÈME)	AUCUNE(E)
10	AFFICHAGE	15" TUBE CATHODIQUE CONVENTIONNEL 24-BIT COULEUR BUREAU
11	SORTIE VIDÉO	CARTE GRAPHIQUE ATI RAGE II + 2MB (2MB) SGRAM
12	SORTIE AUDIO	CARTE SON 16-BIT 44.1 KHz SON 3D
13	TÉLÉCOMMUNICATIONS	
14	RÉSEAUX	AUCUNE(E)
15	ALIMENTATION	115/220 V (50/60Hz)
16	SYSTÈME D'EXPLOITATION	MICROSOFT WINDOWS 95
17	GARANTIE	1 ANNÉE DE GARANTIE

1	GÉNÉRAL	
2	FORMAT SYSTÈME	MINITOUR
3	DIMENSIONS (LxPxH) / POIDS	19.5cm x 45.5cm x 42.9cm / 12.7kg
4	COULEUR BOÎTIER	BLANC
5	PROCESSEUR	
6	PROCESSEUR INSTALLÉ (MAX)	1(1)x AMD K6 MMX 300 MHz
7	BUS SYSTÈME PRINCIPAL	66MHz
8	MÉMOIRE	
9	MÉMOIRE CACHE INSTALLÉ(E) (MAX)	256 Ko (256 Ko) CACHE DE NIVEAU 2 - WRITE-BACK CACHE
10	MÉMOIRE VIVE INSTALLÉ(E) (MAX)	48 Mo (256 Mo) DRAM - SDRAM DIMM 168 BROCHES

FIG. 13A-1 (CONT)

11 STOCKAGE	
12 LECTEUR DE DISQUETTE	1x1.44 Mo 3.5" HD INTERNE
13 LECTEUR DE DISQUE DUR	1x4.2 GO INTERNE
14 STOCKAGE CD / DVD	1x650 MO CD-ROM 24x INTERNE CD-DA , CD-XA, KODAK PHOTOCOD
15 STOCKAGE AMOVIBLE	AUCUN(E)
16 AMOVIBLE DE STOCKAGE (2ÈME)	AUCUN(E)
17 CONTROLEUR DE STOCKAGE	IDE / EIDE INTÉGRÉ
18 CONTROLEUR DE STOCKAGE (2ÈME)	AUCUN(E)
19 AFFICHAGE	
20 AFFICHAGE TYPE	TUBE CATHODIQUE 15" CONVENTIONNEL
21 RÉOLUTION MAX	24-BIT COULEUR / 1024x768 MULTISCAN
22 VIDÉO	
23 SORTIE VIDÉO	CARTE GRAPHIQUE ATI RAGE II+ INTÉGRÉ
24 MÉMOIRE / VIDÉO INSTALLÉ (MAX)	2 Mo (2Mo) SGRAM
25 RÉOLUTION MAX (EXTERNE)	16-BIT COULEUR / 1024x768
26 VIDÉO SUPPORTÉE	RGB
27 ENTRÉE VIDÉO	AUCUN(E)
28 VIDÉO SUPORTÉ E	
29 AUDIO	
30 SORTIE AUDIO	CARTE SON INTÉGRÉ(E) ADLIB, SOUNDBLASTER 16/PRO, MICROSOFT WSS 1.0/2.0, MPU-401
31 MODE SORTIE SON	16-BIT 44.1KHz SON 3D
32 ENTRÉE AUDIO	MICROPHONE EXTERNE

FIG. 13A-2

33 TÉLÉCOMMUNICATIONS / RÉSEAUX	
34 MODEM / COMM.	FAX / MODEM INTERNE K56FLEX DSV-D JEU DE COMMANDES AT HAYES
35 DÉBIT DE TRANSFERT MAX (FAX)	56.6 Kbps (14.4 Kbps)
36 RÉSEAU	AUCUN(E)
37 PROTOCOLE DE GESTION À DISTANCE	
38 EXTENSION (S) / CONNECTIVITÉ	
39 BAIE(S) D'EXTENSION TOTAL (LIBRE)	1(0)x INTERNE 3.5" 1 (0)x ACCESSIBLE DE FRONT 3.5" 3(2)x ACCESSIBLE DE FRONT 5.25"
40 LOGEMENT(S) D'EXTENSION TOTAL (LIBRE)	1(1)x PARTAGÉ PCI / ISA PLEINE-LONGUEUR 3(2)x ISA PLEINE-LONGUEUR 2(2)x PCI PLEINE-LONGUEUR
41 PORT(S) TOTAL (LIBRE) / TYPE DE CONNECTEUR	1(1)x MODEM LIGNE DE SORTIE / RJ-11 FEMELLE 1(1)x MODEM LIGNE D'ENTRÉE / RJ-11 FEMELLE 1(0)x AUDIO LIGNE DE SORTIE / PRISE MINI-PHONO STEREO 3.5mm FEMELLE 1(1)x AUDIO LIGNE D'ENTRÉE / PRISE MINI-PHONO STEREO 3.5mm FEMELLE 1(0)x MICROPHONE ENTRÉE / PRISE MINI-PHONO STEREO 3.5mm FEMELLE 1(1)x GAMEPORT / MIDI GÉNÉRIQUE / 15 BROCHES D-SUB (DB-15) FEMELLE 1(0)x AFFICHAGE / VIDEO VGA / VE 7(5) BROCHES D-SUB (DB-15) FEMELLE 1(0)x SOURIS GÉNÉRIQUE / 6 BROCHES MINI-DIN (STYLE PS/2) FEMELLE 1(0)x CLAVIER GÉNÉRIQUE / 6 BROCHES MINI-DIN (STYLE PS/2) FEMELLE 2(2)x SÉRIE USB / PRISE 4 BROCHES USB FEMELLE 1(1)x SÉRIE RS-232 / 9 BROCHES D-SUB (DB-9) MÂLE 1(1)x PARALLÈLE IEEE 1284 (EPP/ECPI) / 25 BROCHES D-SUB (DB-25) FEMELLE
42 CÂBLE(S) / PÉRIPHÉRIQUE(S)	
43 TYPE DE PÉRIPHÉRIQUE D'ENTRÉE	CLAVIER, SOURIS
44 DIVERS	
45 NORMES	PLUG AND PLAY
46 DISPOSITIFS DE SÉCURITÉ	
47 CARACTÉRISTIQUES D'ENVIRONNEMENT	10°C/35°C/20-80%
48 ALIMENTATION	
49 TYPE DE PÉRIPHÉRIQUE	ALIMENTATION INTERNE
50 TENSION REQUISE	115/220V+10%/50/60Hz
51 CONSOMMATION EN FONCTIONNEMENT	200WATTS
52 SYSTÈME D'EXPLOITATION / LOGICIEL	
53 SYSTÈME D'EXPLOITATION FOURNI	MICROSOFT WINDOWS 95 PRÉINSTALLÉ
54 LOGICIEL(S) INCLU(S)	LOTUS SMARTSUITE, SUPPORT & UTILITAIRES
55 GARANTIE	
56 SERVICE / MAINTENANCE	1 ANNÉE DE GARANTIE
57 SERVICE / DETAILS DE LA MAINTENANCE	1 AN x GARANTIE LIMITÉE RETOUR ATELIER

FIG. 13A-2 (CONT)

COMPONENT GENERATOR REPORT				
DESKTOP / DESKSIDE ~ 1318				
TECHNICAL SPECIFICATIONS ~ 1320				
GENERAL ~ 1322				
PRODUCT FORM FACTOR(~ 1324	FORM FACTOR (V) ~ 1326			
DIMENSIONS (WxDxH)/ WEIGHT	DIMENSIONS / WEIGHT - WIDTH (U) x (LR) DIMENSIONS / WEIGHT - DEPTH (U) x (LR) DIMENSIONS / WEIGHT - HEIGHT (V) DIMENSIONS / WEIGHT - HEIGHT (U) /(LR) DIMENSIONS / WEIGHT - WEIGHT (V) DIMENSIONS / WEIGHT - WEIGHT (U)			
ENCLOSURE COLOR()			MISCELLANEOUS - COLOR (V)	
PROCESSOR(N)				
PROCESSOR(N) INSTALLED((I MAX))	PROCESSOR - INSTALLED QTY (V) /(R) PROCESSOR - MAX SUPPORTED QTY (V) /(L) x (R) PROCESSOR - MANUFACTURER (V) PROCESSOR - TYPE (V) PROCESSOR - CLOCK SPEED (V) PROCESSOR - CLOCK SPEED (U)			
DATA BUS SPEED (N)	MAINBOARD - DATA BUS SPEED (V) MAINBOARD - DATA BUS SPEED (U) MAINBOARD - CHIPSET TYPE / VENDOR (V) MAINBOARD - BIOS TYPE / VENDOR (V)			
MEMORY				
MEMORY / CACHE (N) INSTALLED((I MAX))	MEMORY / CACHE - INSTALLED SIZE (V) MEMORY / CACHE - INSTALLED SIZE (U) /(R) MEMORY / CACHE - MAX SUPPORTED SIZE (V) MEMORY / CACHE - MAX SUPPORTED SIZE (U) /(L) MEMORY / CACHE - TYPE (V) -(U) MEMORY / CACHE - TECHNOLOGY (V)			

FIG. 13B

MEMORY / RAM (N) INSTALLED ((I MAX))	MEMORY / RAM - INSTALLED SIZE (V) MEMORY / RAM - INSTALLED SIZE (U) ((R) MEMORY / RAM MAX SUPPORTED SIZE (V) MEMORY / RAM - MAX SUPPORTED SIZE (U) ((L) MEMORY / RAM - TYPE (V) - MEMORY / RAM - TECHNOLOGY (V) MEMORY / RAM - FORM FACTOR (V)
STORAGE	
STORAGE FLOPPY DRIVE (N)	STORAGE FLOPPY DRIVE - INSTALLED QTY (V) x (L R) STORAGE FLOPPY DRIVE - FORMATTED CAPACITY (V) STORAGE FLOPPY DRIVE - FORMATTED CAPACITY (U) STORAGE FLOPPY DRIVE - TYPE (V) STORAGE FLOPPY DRIVE - FORM FACTOR (V)
STORAGE HARD DRIVE (N)	STORAGE HARD DRIVE - INSTALLED QTY (V) x (L R) STORAGE HARD DRIVE - FORMATTED CAPACITY (V) STORAGE HARD DRIVE - FORMATTED CAPACITY (U) STORAGE HARD DRIVE - FORM FACTOR (V) STORAGE HARD DRIVE - COMPLIANT STANDARDS (V)
STORAGE CD/DVD (N)	STORAGE CD / DVD - INSTALLED QTY (V) x (L R) STORAGE CD / DVD - FORMATTED CAPACITY (V) STORAGE CD / DVD - FORMATTED CAPACITY (U) STORAGE CD / DVD - TYPE (V) STORAGE CD / DVD - CD / DVD READ SPEED (V) STORAGE CD / DVD - FORM FACTOR (V) STORAGE CD / DVD - COMPLIANT STANDARDS (V)
STORAGE REMOVABLE (N)	STORAGE REMOVABLE - INSTALLED QTY (V) x (L R) STORAGE REMOVABLE - NATIVE CAPACITY (V) STORAGE REMOVABLE - NATIVE CAPACITY (U) STORAGE REMOVABLE - TYPE (V) STORAGE REMOVABLE - FORM FACTOR (V) STORAGE REMOVABLE - COMPLIANT STANDARDS (V)
STORAGE REMOVABLE (2ND) (N)	STORAGE REMOVABLE (2ND) - INSTALLED QTY (V) x (L R) STORAGE REMOVABLE (2ND) - NATIVE CAPACITY (V) STORAGE REMOVABLE (2ND) - NATIVE CAPACITY (U) STORAGE REMOVABLE (2ND) - TYPE (V) STORAGE REMOVABLE (2ND) - FORM FACTOR (V) STORAGE REMOVABLE (2ND) - COMPLIANT STANDARDS (V)
STORAGE CONTROLLER (N)	STORAGE CONTROLLER - INSTALLED QTY (V) x (L R) STORAGE CONTROLLER - TYPE (V) STORAGE CONTROLLER - FORM FACTOR (V) STORAGE CONTROLLER - RAID LEVEL (V)
STORAGE CONTROLLER (2ND) (N)	STORAGE CONTROLLER (2ND) - INSTALLED QTY (V) x (L R) STORAGE CONTROLLER (2ND) - TYPE (V) STORAGE CONTROLLER (2ND) - FORM FACTOR (V) STORAGE CONTROLLER (2ND) - RAID LEVEL (V)
DISPLAY	

FIG. 13B (CONT)




FIG. 13C




FIG. 13D




FIG. 13E




FIG. 14A




FIG. 14B




FIG. 15A




FIG. 15B




FIG. 15C